

# NIELSEN LINE SHOWER/COMMODE CHAIRS



HMN

CE

[WWW.HMN.DK/EN](http://WWW.HMN.DK/EN)

# INDEX

<b>INTRODUCTION.....</b>	<b>2</b>
<b>STANDARD ON NIELSEN LINE.....</b>	<b>3-4</b>
<b>NIELSEN LINE STANDARD WITH 100 MM WHEELS.....</b>	<b>5-6</b>
<b>NIELSEN LINE SELF-PROPELLED CHAIR.....</b>	<b>7-8</b>
<b>NIELSEN LINE GAS-TIP.....</b>	<b>9-10</b>
<b>NIELSEN LINE EL-TIP.....</b>	<b>11-12</b>
<b>NIELSEN LINE SHOWER/COMMODOE CHAIR ACCESSORIES.....</b>	<b>13-18</b>
<b>TECHNICAL DATA.....</b>	<b>19-22</b>

# INFO

## NIELSEN LINE SHOWER/COMMUNE CHAIRS

**Designed in Denmark and produced under danish quality standards.**

The Nielsen Line shower/commode chair is our shower/commode chair series made in aluminium, making them light in weight but with quality in top. A simple design with high quality and comfort.

The eight Nielsen Line shower/commode chairs are designed with the same frame. You can then choose which back and wheels you want on it.

**Here is the advantages when you buy the Nielsen Line:**

- Frame in strong aluminium
- Seat in ergonomic design
- Massive telescopic legs providing high stability
- Wheels protected against hair and dirt (closed circuit)
- Footrests included as standard providing good support
- A wide variety of accessories ensures good adjustment to the individual user.

# STANDARD ON

## NIELSEN LINE



**Nielsen Line shower/commode chairs** are available with either a flexible plastic backrest or a netweave backrest.

The plastic backrest gives comfortable support and is easy to clean and disinfect

The netweave backrest can adjust to the users back, so you have a consistent pressure spread over the back. It provides better support for users with scoliosis for example.



As standard, the chair is provided with a seat which has a cut-out in the front which provides good access to hygiene.

The plastic seat can be removed without tools and is easy to clean.

The seat comes with commode pan holder. They are designed so that the commode pan is held in place when moving the chair. It is easy to remove the bucket after use.

**The commode pan holder can be removed without tools if the commode pan is not needed.**

# SIMPLE DESIGN

# HIGH QUALITY & COMFORT



Nielsen Line shower/commode chairs come as standard with height and angle adjustable footrests.

The height and angle is easy to adjust without the use of tools and a bushing in the footrest holder ensures that the footrests are mounted secure.

The height adjustability of the footrest and the angle adjustability of the footplate ensures optimal positioning of the users feet.



The armrest is provided with a TPE coating on the surface.

The TPE is comfortable to rest your arms on as it is hygienic and non-slippery.

The armrest can be removed easily by swinging it to a 45° and removing it sideways.



This provides optimal accessibility by sideways transfers.

# NIELSEN LINE STANDARD SHOWER/COMMODE CHAIR WITH 100 MM WHEELS

Art.no.. 313030

Simple design  
& HIGH COMFORT

Art.no.. 313031



## NIELSEN LINE SHOWER/COMMODE W/NETWEAVE BACK

Material	Aluminium
Wheels	100 mm
Max exterior width	58 cm
Weight of chair	10,6 kg (12,2 incl. footrests)
Seat height	Ca. 44,5–56,5 cm
Seat widths	48,5 cm
Width between armrests	47,5 cm
Max user weight	150 kg

## NIELSEN LINE SHOWER/COMMODE W/PLASIC BACK

Material	Aluminium
Wheels	100 mm
Max exterior width	58 cm
Weight of chair	11 kg (12,6 incl. footrests)
Seat height	Ca. 44,5–56,5 cm
Seat widths	48,5 cm
Width between armrests	47,5 cm
Max user weight	150 kg

TECHNICAL DATA  
PAGE 19

USER GUIDE

SPARE PARTS

# NIELSEN LINE STANDARD SHOWER/COMMODE CHAIR WITH 100 MM WHEELS



In the standard version Nielsen Line shower/commode chairs comes with 100 mm wheels.

The wheels are in high quality and in cooperation with the light frame construction, it makes the chair extremely easy to move.

The wheels are fitted with telescopic legs so the chair can be adjusted in height.

The chair can also be delivered with 125 mm wheels.

**125 mm wheels mounted instead of 100 mm wheels  
Art.no. 313048**

As an accessory we can provide a 24" wheel kit, so the chair can be rebuilt to a self-propelled chair.

On Nielsen Line shower/commode chairs with 100 mm wheels it's possible to mount 24" wheels.

This enables the user to become self-reliant and handle the showering and toilet by themselves.



**24" rear wheel set for mounting on Nielsen Line standard :Art.no. 313040**

Read more about the Nielsen Line chairs with rear wheels on next page.

# NIELSEN LINE SELF-PROPELLED SHOWER/COMMODE CHAIR

Art.no.. 313035

When the user wants  
**TO BE INDEPENDENT**

Art.no.. 313036



## NIELSEN SELF-PROPELLED SHOWER COMMODE W/NETWEAVE BACKREST

Material	Aluminium
Wheel	Self-propelled: 24" Front wheel: 125 mm
Max exterior width	Without handrims: 62 cm With handrims: 67 cm
Weight of chair	16,6 kg (18,2 kg incl. Footrests)
Seat heights	Ca. 53 og 59 cm
Seat widths	48,5 cm
Width between armrests	47,5 cm
Max user weight	150 kg

## NIELSEN SELF-PROPELLED SHOWER COMMODE W/PLASTIC BACKREST

Material	Aluminium
Wheel	Self-propelled: 24"
Max exterior width	Without handrims: 62 cm
Weight of chair	16,6 kg (18,2 kg incl. Footrests)
Seat heights	Ca. 53 og 59 cm
Seat widths	48,5 cm
Width between armrests	47,5 cm
Max user weight	150 kg

**TECHNICAL DATA**  
**PAGE 20**

**USER GUIDE**

**SPARE PARTS**

# NIELSEN LINE SELF-PROPELLED SHOWER/COMMODE CHAIR




As standard the self-propelled chair is fitted with two anti-tip bars for safety. This prevents the chair from tilting backwards, even if the user pushes hard backwards or accelerates very fast.

The self-propelling wheels have quick release axles so they are easy to remove for cleaning and height adjustment.

**The quick release axles and the bearings are made in stainless steel.**

The chair is height adjustable in two different heights:  
Seat height 53 and 59 cm



The chair has a handbrake in aluminium.

The brake is continuously variable and can be adjusted to fit the need of the individual user regarding braking power and tightness.

If needed the chair can be delivered without handrims. This makes the chair 5 cm narrower (width: 62 cm). The self-propelled wheels are as standard made of plastic. You can also choose to have magnesium wheels instead. They are more stable and gives a more attractive look.

**Magnesium self-propelled instead of plastic:**

**Art.no. 313044**



# NIELSEN LINE GAS-TIP SHOWER/COMMUNE CHAIR

Art.no.. 313051

when the tip with gas  
IS NEEDED

Art.no.. 313050



## NIELSEN GAS-TIP LINE SHOWER COMMUNE W/NETWEAVE BACKREST

Material Aluminium

Wheel 125 mm

Max exterior width 57,5 cm

Weight of chair 16,6 kg (18,2 kg incl. footrests)

Seat heights Ca. 55–67 cm

Seat widths 48,5 cm

Width between armrests 47 cm

Max user weight 150 kg

## NIELSEN LINE GAS-TIP SHOWER COMMUNE W/PLASTIC BACKREST

Material Aluminium

Wheel 125 mm

Max exterior width 57,5 cm

Weight of chair 17 kg (18,6 kg incl. footrests)

Seat heights Ca. 55–67 cm

Seat widths 48,5 cm

Width between armrests 47 cm

Max user weight 150 kg

TECHNICAL DATA  
PAGE 21

USER GUIDE

SPARE PARTS

# NIELSEN LINE GAS-TIP SHOWER/COMMUNE CHAIR



**Nielsen Line Gas-Tip** has a gas spring which supports the helper when the user needs to be tilted backwards and forward. The gas spring supports the way of movement from tilted to horizontal position.

This provides incredible ease of use, even for heavier users.

## Armrest

The armrests are fitted with snap lock, ensuring that they can't be folded up without the lock being released by the helper.

The snap lock automatically locks the armrests then they are down.



## Wheels

The chairs are fitted with 125 mm wheels which have a closed axis. This reduces the risk of hair and dirt to enter the axis.

The front right wheel is a directional fixed wheel that can be locked in direction of travel (It is marked with different color). This wheel can now only go straight forward. This secures that the chair will be easy to maneuver and push.

For users who always are positioned by lift, the forward tip can be undesirable.

Bracket to avoid negative tip:

Art.no. 800251

Therefore we offer a bracket that ensures that the chair cannot tip forward. The bracket is easily mounted on the front of the frame and stops the movement, when the seat is in level position.



# NIELSEN LINE EL-TIP SHOWER/COMMODE CHAIR

Art.no. 313055

WHEN THERE IS A NEED FOR  
TIP WITH EL

Art. no 313054



## NIELSEN EL-TIP LINE SHOWER COMMODE W/NETWEAVE BACKREST

Material	Aluminium
Wheel	125 mm
Max exterior width	61 cm
Weight of chair	20 kg (21,6 kg incl. footrests)
Seat heights	Ca. 55–67 cm
Seat widths	48,5 cm
Width between armrests	47 cm
Max user weight	150 kg

## NIELSEN LINE EL-TIP SHOWER COMMODE W/PLASTIC BACKREST

Material	Aluminium
Wheel	125 mm
Max exterior width	61 cm
Weight of chair	20 kg (21,6 kg incl. footrests)
Seat heights	Ca. 55–67 cm
Seat widths	48,5 cm
Width between armrests	47 cm
Max user weight	150 kg

TECHNICAL DATA  
PAGE 22

USER GUIDE

SPARE PARTS

# NIELSEN LINE EL-TIP SHOWER/COMMODE CHAIR

## Hand Control

The hand control is easy to operate and can be used by both left and right hand. The left button tilts the chair forward and the right button tilts the chair backwards.



## Armrest

The armrests are fitted with snap lock, ensuring that they can't be folded up without the lock being released by the helper. The snap lock automatically locks the armrests then they are down.

## Wheels

The chairs are fitted with 125 mm wheels which have a closed axis. This reduces the risk of hair and dirt to enter the axis.

The front right wheel is a directional fixed wheel that can be locked in direction of travel (Is marked with different color). This wheel can now only go straight forward. This secures that the chair will be easy to maneuver and push.



## The Power box

The chair is easily charged by connecting the included universal charger .

*(The chair cannot be used electrically when charging)*

# NIELSEN LINE

## ACCESSORIES

### SEATS, COVERS AND CUSHIONS



**SOFT SEAT**

Art.no. 313043

**COVER**

Art.no. 313042




**SUPERSOFT FOAM CUSHION**

Without hole, Art.no. 330022

**PRESSURE-RELIEF SEAT**

Art.no. 330023



**LONGER SEAT**, standard seat

Art.no. 310373

**STANDARD SEAT**, with less wide hole


Art.no. 310374



# NIELSEN LINE ACCESSORIES SEAT, CALF SUPPORT, FOOTRESTS & FULLPLATE

**HORSESHOE SEAT**, with  
less wide hole

Art.no. 310375




**LONGER HORSESHOE SEAT**,

Art.no. 310376

**CALF SUPPORT**

Art.no. 310226



Height adjustable **FOOTRESTS**

(From the edge of the seat to the plate of the  
footrests)

Standard: Art.no: 310049 (39–51 cm)

Short, Art.no: 310510 (31–41 cm)

Extended, Art.no: 310283 (49–61 cm)

Reinforced, Art.no: 310275 (39–51 cm)

**FULLPLATE FOR M2  
FOOTRESTS** (doesn't fit  
on Nielsen Line footrests)

Art.no. 310760, standard

Art.no. 310761

Neopren cover for fullplate



# NIELSEN LINE

## ACCESSORIES

### COMMUNE PAN, AMPUTATION SUPPORT, LEGRESTS & WHEEL



**COMMUNE PAN** with lid

Art.no. 310048

### AMPUTATION SUPPORT

Right, Art.no. 800343

Left, Art.no. 800344



### FOOTREST PLATE

Right, Art.no.. 310085

Left, Art.no.. 310086

### EXTRA CALFEST

Art.no.. 310358

### LEGREST with elevation

Set, Art.no. 310052

Right, Art.no.. 310053

Left, Art.no.. 310054

### DIRECTION FIXED WHEEL

Surcharge for the chair delivered with one direction fixed wheel:

Art.no. 800157


Accessory for existing chair:

Art.no. 800541 -100 mm wheel

Art.no. .800565–125 mm wheel



# NIELSEN LINE ACCESSORIES WHEEL, NIELSEN LINE WITHOUT WHEELS & URINE FUNNEL



100 MM WHEEL, 1 pcs

Art.no. 800526

125 MM WHEEL, 1 pcs

Art.no. 800538

## NIELSEN LINE WITHOUT WHEELS


When turning a standard Nielsen Line chair into a 24" self-propelled chair, there will be four 100 mm wheels in surplus which can be used for this chair:

Nielsen Line with netweave backrest incl. Footrests, **without wheels:**

Art.no. 313032

Nielsen Line with plastic backrest incl. Footrests, **without wheels:**

Art.no. 313033



URINE FUNNEL

Art.no. 148861


# NIELSEN LINE

## ACCESSORIES

### SPLASH GUARD, BACKREST, HIPBELT & CROSSBAR

#### NL SPLASH GUARD

Art.no. 313047



#### SOFT BACKREST

Art.no. 313045

#### HIPBELT

With velcro;

Art.no. 330019

With click buckle:

Art.no. 800404



#### TORSO SUPPORT

Std, Cushion, Art.no. 310245

Std. Cover, Art.no. 310246

#### CROSSBAR

Art.no. 310228



# NIELSEN LINE ACCESSORIES HEADREST & SIDE SUPPORTS



Height & depth adjustable **HEADREST**, PU foam

Art.no.. 310222

Height adjustable **HEADREST**, PU foam

Art.no. 310221



Height & depth adjustable **HEADREST**,  
short bar, PU foam

Art.no.. 310244

Super Soft height & depth adjustable **HEADREST**,  
PU foam

Art.no. 310235



Super Soft height & depth adjustable **HEADREST**,  
short bar, PU foam

Art.no.. 310243

Super Soft height adjustable **HEADREST**,  
PU foam

Art.no. 310236



## **SIDE SUPPORTS**

Right, Art.no.: 310881

Left, Art.no.: 310882

# NIELSEN LINE STANDARD SHOWER/COMMODE CHAIR

## TECHNICAL DATA

	NIELSNEN LINE NETWEAVE BACKREST	NIELSNEN LINE PLASTICK BACKREST
SEAT HEIGHTS	CA. 44,5–46,5–48,5 –50,5–52,5–54,5–56,5 CM (+ 2,5 cm with 125 mm wheel)	
SEAT WIDTH	48,5 CM	
SEAT DEPTH	45 CM	
MAX. HEIGHT	93–105 CM	
MAX. WIDTH	58 CM (Measured from armrests)	
SPACE BETWEEN THE ARMRESTS	47,5 CM	
CLEARANCE UNDER THE SEAT (WITH / WITHOUT PANHOLDER)	36,5–48,5 CM / 40,5–52,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	60 CM	
WEIGHT (INCL. FOOTRESTS)	10,6 KG (12, 2 KG)	11 KG (12,6 KG)
MAX. LOAD	150 KG	
WHEELS	100 MM WHEELS WITH STEEL LEGS WITH GALVANIZED SURFACE W/GRAY RUBER AND BALL BEARINGS AND DOUBLE-ACTING BRAKES.	
HEIGHT ADJUSTABLE	7 SEAT HEIGHTS CAN BE ADJUSTED WITH CLIPS (WITHOUT TOOLS)	
BACKREST	NETWEAVE BACKREST	PLASTICK BACKREST
SURFACE / METAL	ALUMINIUM FRAME, POWDER COATED	
<b>DESCRIPTION</b>		<b>ART.NO.</b>
STANDARD WITH NETWEAVE BACKREST INCL. FOOTRESTS		313030
STANDARD WITH PLASTIC BACKREST INCL. FOOTRESTS		313031
ISO-NUMBER	09 12 03	

[BACK TO  
PAGE 5](#)

# NIELSEN LINE SELF-PROPELLED SHOWER/COMMODE CHAIR

## TECHNICAL DATA

	NIELSNEN LINE NETWEAVE BACKREST	NIELSNEN LINE PLASTIC BACKREST
SEAT HEIGHTS	53 OR 59 CM	
SEAT WIDTH	48,5 CM	
SEAT DEPTH	45 CM	
MAX. HEIGHT	101,5 OR 107,5 CM	
MAX. WIDTH	WITH SELF-PROPELLED: 67 CM WITHOUT SELF-PROPELLED: 62 CM	
SPACE BETWEEN THE ARMRESTS	47,5 CM	
CLEARANCE UNDER THE SEAT (WITH / WITHOUT PANHOLDER)	45 OR 51 CM / 49 OR 55 CM	
LENGTH (WITHOUT THE FOOTRESTS)	75 CM	
WEIGHT (INCL. FOOTRESTS)	16,6 KG (18,2 KG)	17 KG (18,6 KG)
MAX. LOAD	150 KG	
WHEELS	FRONT WHEEL: 125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. SELF-PROPELLED WHEELS: 24" PLASTIC WHEELS	
HEIGHT ADJUSTABLE	2 HEIGHT ADJUSTABLE	
BACKREST	NETWEAVE BACKREST	PLASTICK BACKREST
SURFACE / METAL	ALUMINIUM FRAME, POWDER COATED	
<b>DESCRIPTION</b>	<b>ART.NO.</b>	
SELF-PROPELLED WITH NETWEAVE BACKREST INCL. FOOTRESTS	313035	
SELF-PROPELLED WITH PLASTIC BACKREST INCL. FOOTRESTS	313036	
ISO-NUMBER	09 12 03	

[BACK TO  
PAGE 7](#)

# NIELSEN LINE GAS-TIP SHOWER/COMMODE CHAIR

## TECHNICAL DATA

	NIELSNEN LINE GAS-TIP NETWEAVE BACKREST	NIELSNEN LINE GAS-TIP PLASTIC BACKREST
SEAT HEIGHTS	CA. 55, 57, 59 61, 63, 65 & 67 CM	
SEAT WIDTH	48,5 CM	
SEAT DEPTH	45 CM	
MAX. HEIGHT	119,5 CM	
MAX. WIDTH	57,5 CM	
SPACE BETWEEN THE ARMRESTS	47 CM	
CLEARANCE UNDER THE SEAT (WITH / WITHOUT PANHOLDER)	<b>WITH:</b> CA. 45,5–57,5 CM <b>WITHOUT:</b> 49,5–61,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	68 CM	
WEIGHT (INCL. FOOTRESTS)	16,6 KG (18,2 KG)	17 KG (18,6 KG)
MAX. LOAD	150 KG	
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL	
HEIGHT ADJUSTABLE	7 HEIGHT ADJUSTABLE	
BACKREST	NETWEAVE BACKREST	PLASTIC BACKREST
SEAT ANGLE IN DEGREES	FROM 5° FORWARD TO 35° BACKWARDS	
SURFACE / METAL	ALUMINIUM FRAME, POWDER COATED	
<b>DESCRIPTION:</b>	<b>ART.NO.</b>	
GAS-TIP WITH NETWEAVE BACKREST INCL. FOOTRESTS	313051	
GAS-TIP WITH PLASTIC BACKREST INCL. FOOTRESTS	313050	
ISO-NUMBER	09 12 03	

[BACK TO  
PAGE 9](#)

# NIELSEN LINE EL-TIP SHOWER/COMMODE CHAIR

## TECHNICAL DATA

	NIELSNEN LINE EL-TIP NETWEAVE BACKREST	NIELSNEN LINE EL-TIP PLASTIC BACKREST
SEAT HEIGHTS	CA. 55, 57, 59 61, 63, 65 & 67 CM	
SEAT WIDTH	48,5 CM	
SEAT DEPTH	45 CM	
MAX. HEIGHT	119,5 CM	
MAX. WIDTH	57,5 CM	
SPACE BETWEEN THE ARMRESTS	47 CM	
CLEARANCE UNDER THE SEAT (WITH / WITHOUT PANHOLDER)	<b>WITH:</b> CA. 45,5–57,5 CM <b>WITHOUT:</b> 49,5–61,5 CM	
LENGTH (WITHOUT THE FOOTRESTS)	68 CM	
WEIGHT (INCL. FOOTRESTS)	16,6 KG (18,2 KG)	17 KG (18,6 KG)
MAX. LOAD	150 KG	
WHEELS	125 MM WHEELS W/GREY RUBBER AND BALL BEARINGS. DOUBLE ACTING BRAKES ON 3 WHEELS, 1 DIRECTIONAL FIXED WHEEL	
HEIGHT ADJUSTABLE	7 HEIGHT ADJUSTABLE	
BACKREST	NETWEAVE BACKREST	PLASTIC BACKREST
SEAT ANGLE IN DEGREES	FROM 5° FORWARD TO 35° BACKWARDS	
SURFACE / METAL	ALUMINIUM FRAME, POWDER COATED	
<b>DESCRIPTION:</b>	<b>ART.NO.</b>	
EL-TIP WITH NETWEAVE BACKREST INCL. FOOTRESTS	313055	
EL-TIP WITH PLASTIC BACKREST INCL. FOOTRESTS	313054	
ISO-NUMBER	09 12 03	

[BACK TO](#)  
[PAGE 11](#)

# HMN

SINCE 1934

V 1.2

